

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

Green Guard® SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:

100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES
For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE

**IMPORTANT: READ THE ATTACHED LEAFLET
BEFORE OPENING OR USING**

Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology

BECKER
UNDERWOOD

CONTENTS: 750mL



**APPROVED
LABEL**

**24 hour Emergency
Response Australia:
1 800 033 111**



9 316762 000068

Batch No.:
DOM:
Expiry Date:

Infopest

Verified

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

© GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

APVMA Approval No. 61596/750mL/0208

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563

Toll Free (Australia) 1 800 558 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250

AUSTRALIA

Filename: 61596_41214_750mL_Label_MPL_V2
Dimensions: 260 mm (W) x 90 mm (H)
Scale: 100%
Date: 09/09/08

Pacific Labels 2 Lucca Road, Wyong NSW 2259
Ph: (02) 4351 1350 Fax: (02) 4351 1320

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PEEL
HERE

Green Guard[®] SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:
100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES
For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: THIS LEAFLET IS PART OF THE LABEL
READ BEFORE OPENING OR USING

Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology

APVMA No: 61596/750mLL/0208

**BECKER
UNDERWOOD**

CONTENTS: 750mL



Filename:	61596_41214_750mL_Leaflet_MPL_V2
Dimensions:	90 mm (W) x 90 mm (H)
Scale:	100%
Date:	09/09/08
Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

GREEN GUARD® SC PREMIUM**DIRECTIONS FOR USE – SHAKE WELL BEFORE USE****RESTRAINTS:**

Do NOT proceed to use this pack until all instructions are read carefully.

Mixing incorrectly will reduce the effectiveness of the product.

Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent within 6 hours.

SITUATION	PEST	RATE/ha	CRITICAL COMMENTS
Agricultural areas, Pastures, Crops including Table and Wine Grapes, Forage crops and Non-crop areas.	Nymphs of Australian plague locust (<i>Chortoicetes terminifera</i>), Wingless grasshopper (<i>Phaulacridium vittatum</i>) and pest grasshoppers	500 mL in 75 - 225 L water per hectare	For best results, apply when locusts and grasshoppers are at early nymph stage. Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent in the next 6 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS:

Pastures, Crops (except Wine Grapes), Forage crops:

NOT REQUIRED WHEN USED AS DIRECTED.

Wine Grapes: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS:

Green Guard® SC Premium Biological Insecticide is specifically designed for small-scale application in agricultural areas, pastures, crops, forage crops and non-crop areas.

At the warm to hot (25° - 35°C) temperatures common during spring and summer, locusts and grasshoppers treated with Green Guard® SC Premium take 8-12 days to die. Mortality may take longer when it is cool or cloudy. Because mortality can take 8-12 days or more, the best strategy with most locusts and grasshoppers is to begin treatment early in the nymphal stage. Treatments normally occur after all locusts and grasshoppers have hatched. However, if early hatchings form dense bands, they should be treated to limit damage. Nymphs hatching less than a week after spraying with Green Guard® SC Premium can pick up spores from the vegetation but those hatching later may have to be treated with further application of Green Guard® SC Premium. When locusts or grasshoppers are spread out, treat all of the infested area. However, locusts sometimes form discrete bands. In such cases, first treat the vegetation for 10-15 m in front of the band and then treat the band itself. The nymphs will not only be treated directly but will also pick up a further dose from the vegetation as they march through it.

Mixing Instructions**SHAKE WELL BEFORE USE**

Half fill spray tank and then add Green Guard® SC Premium. Mix well and complete filling of the tank. Keep the spray mix agitated during spraying. Diluted product should be used immediately.

Application

Ensure equipment being used is free of chemical residues. The formulation is designed to be applied through the diverse range of nozzle or boom spray equipment commonly used to apply water-based sprays.

Apply by ground based equipment to achieve a droplet size (VMD) in the range 80-250 µm.

As the active ingredient consists of small particles, very fine filters will sometimes clog up. If there is clogging, remove the filter and replace with a filter with a larger mesh. Apply when temperature is between 15°-30°C.

Compatibility: This product should not be used with other pesticides.

PRECAUTIONS:

Re-entry periods: DO NOT enter treated area for at least 24 hours after spraying, unless wearing a disposable mist mask, cotton overalls buttoned to neck and wrist and a washable hat and rubber gloves. After each day's use, wash clothing and gloves.


PROTECTION OF BEES: This product is a potential hazard to bees.

DO NOT spray on plants in flower while bees are foraging.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND

ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with Green Guard® SC Premium or with used containers. DO NOT apply under weather conditions, or from spray equipment, that may cause spray to drift into nearby natural streams, rivers or waterways. DO NOT apply within 5 m upwind of wetlands, waterbodies or watercourses.

Filename: 61596_41214_750mL_Leaflet_MPL_V2
 Dimensions: 207 mm (W) x 65 mm (H)
 Scale: 100%
 Date: 09/09/08

 Pacific Labels 2 Lucca Road, Wyong NSW 2259
 Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

© GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563

Toll Free (Australia) 1 800 588 399


Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111

FRONT OF LEAFLET

Filename:	61596_41214_750mL_Leaflet_MPL_V2
Dimensions:	207 mm (W) x 65 mm (H)
Scale:	100%
Date:	09/09/08

 Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320
-------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

Green Guard[®] SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:
100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES
For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: READ THE ATTACHED LEAFLET
BEFORE OPENING OR USING

Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology

APVMA No: 61596/4L/0208



**BECKER
UNDERWOOD**

ISO 9001
REGISTERED

CONTENTS: 4 L

Filename: 61596_41214_4L_Label_MPL_V2
Dimensions: 150 mm (W) x 128 mm (H)
Scale: 100%
Date: 09/09/08

Pacific Labels 2 Lucca Road, Wyong NSW 2259
Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

Batch No.:

DOM:

Expiry Date:

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

® GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

APVMA Approval No. 61596/4L/0208

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563


Toll Free (Australia) 1 800 588 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111



Filename:	61596_41214_4L_Label_MPL_V2
Dimensions:	150 mm (W) x 128 mm (H)
Scale:	100%
Date:	09/09/08
	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PEEL
HERE

Green Guard[®] SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:
100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES
For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: THIS LEAFLET IS PART OF THE LABEL
READ BEFORE OPENING OR USING

*Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology*

APVMA No: 61596/4LL/0208

BECKER UNDERWOOD ISO 9001
CERTIFIED

CONTENTS: 4 L



Filename:	61596_41214_4L_Leaflet_MPL_V2
Dimensions:	150 mm (W) x 128 mm (H)
Scale:	100%
Date:	09/09/08
Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

GREEN GUARD® SC PREMIUM**DIRECTIONS FOR USE – SHAKE WELL BEFORE USE****RESTRAINTS:**

Do NOT proceed to use this pack until all instructions are read carefully.

Mixing incorrectly will reduce the effectiveness of the product.

Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent within 6 hours.

SITUATION	PEST	RATE/ha	CRITICAL COMMENTS
Agricultural areas, Pastures, Crops including Table and Wine Grapes, Forage crops and Non-crop areas.	Nymphs of Australian plague locust (<i>Chortoicetes terminifera</i>), Wingless grasshopper (<i>Phaulacridium vittatum</i>) and pest grasshoppers	500 mL in 75 - 225 L water per hectare	For best results, apply when locusts and grasshoppers are at early nymph stage. Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent in the next 6 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS:

Pastures, Crops (except Wine Grapes), Forage crops:

NOT REQUIRED WHEN USED AS DIRECTED.

Wine Grapes: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS:

Green Guard® SC Premium Biological Insecticide is specifically designed for small-scale application in agricultural areas, pastures, crops, forage crops and non-crop areas.

At the warm to hot (25° - 35°C) temperatures common during spring and summer, locusts and grasshoppers treated with Green Guard® SC Premium take 8-12 days to die. Mortality may take longer when it is cool or cloudy. Because mortality can take 8-12 days or more, the best strategy with most locusts and grasshoppers is to begin treatment early in the nymphal stage. Treatments normally occur after all locusts and grasshoppers have hatched. However, if early hatchings form dense bands, they should be treated to limit damage. Nymphs hatching less than a week after spraying with Green Guard® SC Premium can pick up spores from the vegetation but those hatching later may have to be treated with further application of Green Guard® SC Premium. When locusts or grasshoppers are spread out, treat all of the infested area. However, locusts sometimes form discrete bands. In such cases, first treat the vegetation for 10-15 m in front of the band and then treat the band itself. The nymphs will not only be treated directly but will also pick up a further dose from the vegetation as they march through it.

Mixing Instructions**SHAKE WELL BEFORE USE**

Half fill spray tank and then add Green Guard® SC Premium. Mix well and complete filling of the tank. Keep the spray mix agitated during spraying. Diluted product should be used immediately.

Application

Ensure equipment being used is free of chemical residues. The formulation is designed to be applied through the diverse range of nozzle or boom spray equipment commonly used to apply water-based sprays.

Apply by ground based equipment to achieve a droplet size (VMD) in the range 80-250 µm.

As the active ingredient consists of small particles, very fine filters will sometimes clog up. If there is clogging, remove the filter and replace with a filter with a larger mesh. Apply when temperature is between 15°-30°C.

Compatibility: This product should not be used with other pesticides.

PRECAUTIONS:

Re-entry periods: DO NOT enter treated area for at least 24 hours after spraying, unless wearing a disposable mist mask, cotton overalls buttoned to neck and wrist and a washable hat and rubber gloves. After each day's use, wash clothing and gloves.


PROTECTION OF BEES: This product is a potential hazard to bees.

DO NOT spray on plants in flower while bees are foraging.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND

ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with Green Guard® SC Premium or with used containers. DO NOT apply under weather conditions, or from spray equipment, that may cause spray to drift into nearby natural streams, rivers or waterways. DO NOT apply within 5 m upwind of wetlands, waterbodies or watercourses.

Filename: 61596_41214_4L_Leaflet_MPL_V2
 Dimensions: 383 mm (W) x 120 mm (H)
 Scale: 100%
 Date: 09/09/08

 2 Lucca Road, Wyong NSW 2259
 Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

® GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563


Toll Free (Australia) 1 800 588 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111

FRONT OF LEAFLET

Filename:	61596_41214_4L_Leaflet_MPL_V2
Dimensions:	383 mm (W) x 120 mm (H)
Scale:	100%
Date:	09/09/08
 Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

Green Guard[®] SC Premium

Biological Insecticide



**APPROVED
LABEL**

ACTIVE CONSTITUENT:

100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES

For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: READ THE ATTACHED LEAFLET
BEFORE OPENING OR USING

Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology


APVMA No: 61596/7.5L/0208


**BECKER
UNDERWOOD**

ISO 9001
REGISTERED

CONTENTS: 7.5 L

Filename: 61596_41214_7.5L_Label_MPL_V2
Dimensions: 150 mm (W) x 128 mm (H)
Scale: 100%
Date: 09/09/08

 Pacific Labels
2 Lucca Road, Wyong NSW 2259
Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

Batch No.:

DOM:

Expiry Date:

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

® GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

APVMA Approval No. 61596/7.5L/0208

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563


Toll Free (Australia) 1 800 588 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111



Filename:	61596_41214_7.5L_Label_MPL_V2
Dimensions:	150 mm (W) x 128 mm (H)
Scale:	100%
Date:	09/09/08
	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PEEL
HERE

Green Guard[®] SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:
100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES
For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: THIS LEAFLET IS PART OF THE LABEL
READ BEFORE OPENING OR USING

Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology

APVMA No: 61596/7.5LL/0208

BECKER UNDERWOOD ISO 9001
CERTIFIED

CONTENTS: 7.5 L



Filename:	61596_41214_7.5L_Leaflet_MPL_V2
Dimensions:	150 mm (W) x 128 mm (H)
Scale:	100%
Date:	09/09/08
Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

GREEN GUARD® SC PREMIUM**DIRECTIONS FOR USE – SHAKE WELL BEFORE USE****RESTRAINTS:**

Do NOT proceed to use this pack until all instructions are read carefully.

Mixing incorrectly will reduce the effectiveness of the product.

Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent within 6 hours.

SITUATION	PEST	RATE/ha	CRITICAL COMMENTS
Agricultural areas, Pastures, Crops including Table and Wine Grapes, Forage crops and Non-crop areas.	Nymphs of Australian plague locust (<i>Chortoicetes terminifera</i>), Wingless grasshopper (<i>Phaulacridium vittatum</i>) and pest grasshoppers	500 mL in 75 - 225 L water per hectare	For best results, apply when locusts and grasshoppers are at early nymph stage. Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent in the next 6 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS:

Pastures, Crops (except Wine Grapes), Forage crops:

NOT REQUIRED WHEN USED AS DIRECTED.

Wine Grapes: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS:

Green Guard® SC Premium Biological Insecticide is specifically designed for small-scale application in agricultural areas, pastures, crops, forage crops and non-crop areas.

At the warm to hot (25° - 35°C) temperatures common during spring and summer, locusts and grasshoppers treated with Green Guard® SC Premium take 8-12 days to die. Mortality may take longer when it is cool or cloudy. Because mortality can take 8-12 days or more, the best strategy with most locusts and grasshoppers is to begin treatment early in the nymphal stage. Treatments normally occur after all locusts and grasshoppers have hatched. However, if early hatchings form dense bands, they should be treated to limit damage. Nymphs hatching less than a week after spraying with Green Guard® SC Premium can pick up spores from the vegetation but those hatching later may have to be treated with further application of Green Guard® SC Premium. When locusts or grasshoppers are spread out, treat all of the infested area. However, locusts sometimes form discrete bands. In such cases, first treat the vegetation for 10-15 m in front of the band and then treat the band itself. The nymphs will not only be treated directly but will also pick up a further dose from the vegetation as they march through it.

Mixing Instructions**SHAKE WELL BEFORE USE**

Half fill spray tank and then add Green Guard® SC Premium. Mix well and complete filling of the tank. Keep the spray mix agitated during spraying. Diluted product should be used immediately.

Application

Ensure equipment being used is free of chemical residues. The formulation is designed to be applied through the diverse range of nozzle or boom spray equipment commonly used to apply water-based sprays.

Apply by ground based equipment to achieve a droplet size (VMD) in the range 80-250 µm.

As the active ingredient consists of small particles, very fine filters will sometimes clog up. If there is clogging, remove the filter and replace with a filter with a larger mesh. Apply when temperature is between 15°-30°C.

Compatibility: This product should not be used with other pesticides.

PRECAUTIONS:

Re-entry periods: DO NOT enter treated area for at least 24 hours after spraying, unless wearing a disposable mist mask, cotton overalls buttoned to neck and wrist and a washable hat and rubber gloves. After each day's use, wash clothing and gloves.


PROTECTION OF BEES: This product is a potential hazard to bees.

DO NOT spray on plants in flower while bees are foraging.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND

ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with Green Guard® SC Premium or with used containers. DO NOT apply under weather conditions, or from spray equipment, that may cause spray to drift into nearby natural streams, rivers or waterways. DO NOT apply within 5 m upwind of wetlands, waterbodies or watercourses.

Filename: 61596_41214_7.5L_Leaflet_MPL_V2
 Dimensions: 383 mm (W) x 120 mm (H)
 Scale: 100%
 Date: 09/09/08

 Pacific Labels 2 Lucca Road, Wyong NSW 2259
 Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

® GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563


Toll Free (Australia) 1 800 588 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111

FRONT OF LEAFLET

Filename:	61596_41214_7.5L_Leaflet_MPL_V2
Dimensions:	383 mm (W) x 120 mm (H)
Scale:	100%
Date:	09/09/08
 Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

Green Guard[®] SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:

100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES

For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: READ THE ATTACHED LEAFLET
BEFORE OPENING OR USING

Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology

APVMA No: 61596/15L/0208



**BECKER
UNDERWOOD**

ISO 9001
REGISTERED

CONTENTS: 15 L

Filename: 61596_41214_15L_Label_MPL_V2
Dimensions: 150 mm (W) x 128 mm (H)
Scale: 100%
Date: 09/09/08

Pacific Labels 2 Lucca Road, Wyong NSW 2259
Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

Batch No.:

DOM:

Expiry Date:

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

® GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

APVMA Approval No. 61596/15L/0208

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563


Toll Free (Australia) 1 800 588 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111



Filename:	61596_41214_15L_Label_MPL_V2
Dimensions:	150 mm (W) x 128 mm (H)
Scale:	100%
Date:	09/09/08
 Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

READ SAFETY DIRECTIONS
BEFORE OPENING OR USING

PEEL
HERE

Green Guard[®] SC Premium

Biological Insecticide

ACTIVE CONSTITUENT:
100g/L *METARHIZIUM ANISOPLIAE* VAR. *ACRIDUM* SPORES
For the Biological Control of Locusts and Grasshoppers

SHAKE WELL BEFORE USE
IMPORTANT: THIS LEAFLET IS PART OF THE LABEL
READ BEFORE OPENING OR USING

*Made in Australia by
Becker Underwood Pty Ltd
under licence from
Commonwealth Scientific and Industrial
Research Organisation (CSIRO) Entomology*

APVMA No: 61596/15LL/0208

BECKER UNDERWOOD ISO 9001
CERTIFIED

CONTENTS: 15 L



Filename:	61596_41214_15L_Leaflet_MPL_V2
Dimensions:	150 mm (W) x 128 mm (H)
Scale:	100%
Date:	09/09/08
Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320

GREEN GUARD® SC PREMIUM**DIRECTIONS FOR USE – SHAKE WELL BEFORE USE****RESTRAINTS:**

Do NOT proceed to use this pack until all instructions are read carefully.

Mixing incorrectly will reduce the effectiveness of the product.

Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent within 6 hours.

SITUATION	PEST	RATE/ha	CRITICAL COMMENTS
Agricultural areas, Pastures, Crops including Table and Wine Grapes, Forage crops and Non-crop areas.	Nymphs of Australian plague locust (<i>Chortoicetes terminifera</i>), Wingless grasshopper (<i>Phaulacridium vittatum</i>) and pest grasshoppers	500 mL in 75 - 225 L water per hectare	For best results, apply when locusts and grasshoppers are at early nymph stage. Do NOT apply in gusty conditions greater than 8 metres per second or if rain is imminent in the next 6 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS:

Pastures, Crops (except Wine Grapes), Forage crops:

NOT REQUIRED WHEN USED AS DIRECTED.

Wine Grapes: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS:

Green Guard® SC Premium Biological Insecticide is specifically designed for small-scale application in agricultural areas, pastures, crops, forage crops and non-crop areas.

At the warm to hot (25° - 35°C) temperatures common during spring and summer, locusts and grasshoppers treated with Green Guard® SC Premium take 8-12 days to die. Mortality may take longer when it is cool or cloudy. Because mortality can take 8-12 days or more, the best strategy with most locusts and grasshoppers is to begin treatment early in the nymphal stage. Treatments normally occur after all locusts and grasshoppers have hatched. However, if early hatchings form dense bands, they should be treated to limit damage. Nymphs hatching less than a week after spraying with Green Guard® SC Premium can pick up spores from the vegetation but those hatching later may have to be treated with further application of Green Guard® SC Premium. When locusts or grasshoppers are spread out, treat all of the infested area. However, locusts sometimes form discrete bands. In such cases, first treat the vegetation for 10-15 m in front of the band and then treat the band itself. The nymphs will not only be treated directly but will also pick up a further dose from the vegetation as they march through it.

Mixing Instructions**SHAKE WELL BEFORE USE**

Half fill spray tank and then add Green Guard® SC Premium. Mix well and complete filling of the tank. Keep the spray mix agitated during spraying. Diluted product should be used immediately.

Application

Ensure equipment being used is free of chemical residues. The formulation is designed to be applied through the diverse range of nozzle or boom spray equipment commonly used to apply water-based sprays.

Apply by ground based equipment to achieve a droplet size (VMD) in the range 80-250 µm.

As the active ingredient consists of small particles, very fine filters will sometimes clog up. If there is clogging, remove the filter and replace with a filter with a larger mesh. Apply when temperature is between 15°-30°C.

Compatibility: This product should not be used with other pesticides.

PRECAUTIONS:

Re-entry periods: DO NOT enter treated area for at least 24 hours after spraying, unless wearing a disposable mist mask, cotton overalls buttoned to neck and wrist and a washable hat and rubber gloves. After each day's use, wash clothing and gloves.


PROTECTION OF BEES: This product is a potential hazard to bees.

DO NOT spray on plants in flower while bees are foraging.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND

ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with Green Guard® SC Premium or with used containers. DO NOT apply under weather conditions, or from spray equipment, that may cause spray to drift into nearby natural streams, rivers or waterways. DO NOT apply within 5 m upwind of wetlands, waterbodies or watercourses.

Filename: 61596_41214_15L_Leaflet_MPL_V2
 Dimensions: 383 mm (W) x 120 mm (H)
 Scale: 100%
 Date: 09/09/08

 Pacific Labels 2 Lucca Road, Wyong NSW 2259
 Ph: (02) 4351 1350 Fax: (02) 4351 1320

STORAGE AND DISPOSAL:

Keep out of reach of children. Store in the closed, original container between 2°C and 8°C (refrigerate, do not freeze). Just prior to use, short term storage at room temperature is acceptable. DO NOT store in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted product on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

May irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. Avoid inhaling spray mist. Repeated exposure may cause allergic disorders. When preparing product for use wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length rubber gloves and face shield. When using the product wear disposable mist mask covering mouth and nose. Wash hands after use.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 131126).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet. For a copy, phone Australia 1800 558 399.

WARRANTY

The product must be used strictly in accordance with the label directions and instructions. Becker Underwood accepts no liability or responsibility for any consequential loss or otherwise arising from failure to follow these directions and instructions. The liability of Becker Underwood is limited to that imposed by Statutes and, in any case, the liability is strictly limited to replacement of the product or (at the option of Becker Underwood) the refund of the price paid.

® GREEN GUARD is a registered trade mark of the Commonwealth Scientific and Industrial Research Organisation (CSIRO).

Australian made by:

Becker Underwood Pty Ltd

ABN 25 107 914 563

Toll Free (Australia) 1 800 588 399

Ph: (+61 2) 4340 2246, Fax: (+61 2) 4340 2243

RMB1084 Pacific Highway Somersby NSW 2250 AUSTRALIA

24 hour Emergency Response Australia: 1 800 033 111

FRONT OF LEAFLET

Filename:	61596_41214_15L_Leaflet_MPL_V2
Dimensions:	383 mm (W) x 120 mm (H)
Scale:	100%
Date:	09/09/08
 Pacific Labels	2 Lucca Road, Wyong NSW 2259 Ph: (02) 4351 1350 Fax: (02) 4351 1320